

Is patient responsive?



Call emergency services!





Place AED on ground. Open lid.



Remove clothing. Expose chest.



Attach pads.



Do not touch the patient.



If required, AED will deliver shock automatically.



If present, place CPR device.



Follow AED prompts. Give compressions.



If instructed, give breaths.

#### **Automatic AED**



Cardiac Science and the Shielded Heart logo are trademarks of Cardiac Science Corporation. Copyright © 2012 All Rights Reserved. N7 W22025 Johnson Drive, Waukesha, WI 53186 USA www.cardiacscience.com




Schiffgraben 41 D-30175 Hannover Germany





life is why™

# Common Heart Attack Warning Signs



Learn more at Heart.org/HeartAttack.

# CARDIAC ARREST VS. HEART ATTACK

People often use these terms interchangeably, but they are not the same.

#### WHAT IS CARDIAC ARREST?

# CARDIAC ARREST occurs when the heart malfunctions and stops beating unexpectedly.

Cardiac arrest is triggered by an electrical malfunction in the heart that causes an irregular heartbeat (arrhythmia). With its pumping action disrupted, the heart cannot pump blood to the brain, lungs and other organs.



Cardiac arrest is an "ELECTRICAL" problem.

#### WHAT IS A **HEART ATTACK**?



A heart attack is a "CIRCULATION" problem.

### A HEART ATTACK occurs when blood flow to the heart is blocked.

A blocked artery prevents oxygen-rich blood from reaching a section of the heart. If the blocked artery is not reopened quickly, the part of the heart normally nourished by that artery begins to die.

#### WHAT HAPPENS

Seconds later, a person becomes unresponsive, is not breathing or is only gasping. **Death occurs within minutes if the victim does not receive treatment.** 

#### WHAT TO DO

CALL
9-1-1
Cardiac arrest can
be reversible in some
victims if it's treated within
a few minutes. First, call 9-1-1 and start CPR
right away. Then, if an Automated External
Defibrillator (AED) is available, use it as soon
as possible. If two people are available to
help, one should begin CPR immediately
while the other calls 9-1-1 and finds an AED.

# Blocked Artery Arrhythmia The h be diff nause

#### WHAT HAPPENS

Symptoms of a heart attack may be immediate and may include intense discomfort in the chest or other areas of the upper body, shortness of breath, cold sweats, and/or nausea/vomiting. More often, though, symptoms start slowly and persist for hours, days or weeks before a heart attack. Unlike with cardiac arrest, the heart usually does not stop beating during a heart attack. The longer the person goes without treatment, the greater the damage.

The heart attack symptoms in women can be different than men (shortness of breath, nausea/vomiting, and back or jaw pain).

## **CARDIAC ARREST** is a LEADING CAUSE OF DEATH.

Nearly 360,000 out-of-hospital cardiac arrests occur annually in the United States



#### WHAT IS THE LINK?



Most heart attacks do not lead to cardiac arrest. But when cardiac arrest occurs, heart attack is a common cause. Other conditions may also disrupt the heart's rhythm and lead to cardiac arrest.

#### WHAT TO DO

Even if you're not sure it's a heart attack, call 9-1-1 or your emergency response number. Every minute matters! It's best to call EMS to get to the emergency room right away. Emergency medical services staff can begin treatment when they arrive — up to an hour sooner than if someone gets to the hospital by car. EMS staff are also trained to revive someone whose heart has stopped. Patients with chest pain who arrive by ambulance usually receive faster treatment at the hospital, too.



**CPR & First Aid** 

Learn more about CPR or to find a course, go to heart.org/cpr